



Delock Adapter USB Type-C™ male > DisplayPort female (DP Alt Mode) 4K 60 Hz

Description

This adapter by Delock is suitable for the connection of a DisplayPort monitor to a computer with USB-CTM interface and DisplayPort alternate mode support. Thus, the adapter can be connected to different laptops like MacBook, Chromebook and similar. In addition, the adapter can also be operated on a ThunderboltTM 3 interface.



Item no. 62748

EAN: 4043619627486 Country of origin: China Package: Retail Box

Specification

- Connectors:
 - 1 x USB Type-C™ male >
 - 1 x DisplayPort 20 pin female
- · Chipset: Cypress
- DisplayPort 1.2 specification
- Signal direction: USB Type-CTM input > DisplayPort output
- Resolution up to 4096 x 2160 @ 60 Hz (depending on the system and the connected hardware)
- Transmission of audio and video signals
- · Supports 3D displays
- USB bus powered
- Plug & Play
- · Plastic housing with inner metal shell
- Cable length without connectors: ca. 8 cm
- · Colour: black

System requirements





- iPad Pro (2018)
- Mac OS 10.11 or above
- Windows 7/7-64/8.1/8.1-64/10/10-64
- Windows 10 Mobile
- PC or laptop with a free USB Type-C™ port and DisplayPort alternate mode or
- PC or laptop with a free Thunderbolt™ 3 port

Package content

USB-C™ to DisplayPort adapter

Images







General

Function:	Plug & Play
Specification:	DisplayPort 1.2
Supported operating system:	Mac 10.11.4 Windows 10 32-Bit Windows 10 64-Bit Windows 7 32-Bit Windows 7 64-Bit Windows 8.1 32-Bit Windows 8.1 64-Bit iPad Pro (2018)

Interface

Output:	1 x DisplayPort female
Input:	1 x USB Type-C™ male

Technical characteristics

Chipset:	Cypress
Maximum screen resolution:	4096 x 2160 @ 60 Hz
Signal transmission:	video audio

Physical characteristics

Cable length:	8 cm
Connector finishing:	nickel-plated
Colour:	black