

# Delock Prilagodnik USB Type-C™ > 1 x serijski DB9 RS-232

## Opis

Ovaj prilagodnik USB Type-C™ na serijski tvrtke Delock pruža kompatibilno sučelje RS-232 DB9 za pisače, mjerne instrumente, upravljače, IoT uređaje, itd.



1,8 m

### Predmet br. 62964

EAN: 4043619629640

Zemlja podrijetla: China

Pakiranje: Retail Box

## Tehnički podaci

- Priključak:
  - 1 x USB Type-C™, muški >
  - 1 x serijska muška RS-232 DB9
- Skup čipova: Prolific PL2303 HXD
- Vrsta vijka: #4-40 UNC
- Kompatibilan s USB 2.0, i USB 1.1 pune brzine 12 Mbps
- Brzina prijenosa podataka do 1 Mbps
- Signali: TxD, RxD, RTS, CTS, DTR, DSR, DCD, RI, GND
- Paritet parni, neparni, nijedan, oznaka, prazno mjesto
- Stop bit: 1, 1,5, 2
- Podatkovni bit: 5, 6, 7, 8
- Kontrola protoka: nema, Xon/Xoff, RTS/CTS
- FIFO: 512 bajtni međuspremnik dvosmjerni
- Duljina kabela: oko 1,8 m



## Preduvjeti sustava

- Android 4.4 ili noviji
- Linux Kernel 2.6.31 ili noviji
- Mac OS 10.12 ili noviji
- Windows 7/7-64/8.1/8.1-64/10/10-64/11
- Osobno ili prijenosno računalo sa slobodnim priključkom USB Type-C™ ili priključkom Thunderbolt™ 3

## Sadržaj pakiranja

- Kabel prilagodnika USB Type-C™ > 1 x serijski RS-232 DB9
- CD s upravljačkim programom
- Korisnički priručnik

## Slike



## General

|                             |                                                                                                                                                                                                                              |
|-----------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Funkcija:                   | Plug & Play                                                                                                                                                                                                                  |
| Tehnički podaci:            | RS-232 (EIA / TIA)<br>USB 1.1<br>USB 2.0                                                                                                                                                                                     |
| Supported operating system: | Android 4.4 ili noviji<br>Linux Kernel 3.3 ili noviji<br>Mac OS 10.12 ili noviji<br>Windows 10 32-bit<br>Windows 10 64-bit<br>Windows 7 32-Bit<br>Windows 7 64-Bit<br>Windows 8.1 32-Bit<br>Windows 8.1 64-Bit<br>Windows 11 |

## Interface

|               |                               |
|---------------|-------------------------------|
| Priključak 1: | 1 x USB Type-C™ muški         |
| Priključak 2: | 1 x serijska muška RS-232 DB9 |

## Technical characteristics

|                            |                                                       |
|----------------------------|-------------------------------------------------------|
| Skup čipova:               | Prolific PL2303HXD                                    |
| Brzina prijenosa podataka: | up to 921.6 Kbps                                      |
| FIFO:                      | 512 byte                                              |
| Signal transmission:       | TxD, RxD, RTS, CTS, DTR, DSR, DCD, RI, GND            |
| Data transmission:         | asynchronous<br>full duplex                           |
| Napon:                     | USB Bus powered (no additional power supply required) |

## Physical characteristics

|                               |           |
|-------------------------------|-----------|
| Cable length incl. connector: | 1,8 m     |
| Vrsta vijka:                  | #4-40 UNC |



Boja:

crne

