

Delock USB Type-C™ adapter for a VGA, HDMI, DVI or DisplayPort monitor

Description

This adapter by Delock is a perfect companion when travelling or for presentations due to its four different video ports. A VGA, HDMI, DVI or DisplayPort monitor can be connected to a computer with USB-C™ interface and DisplayPort alternate mode support. In addition, the adapter can also be operated on a Thunderbolt™ 3 interface. Only one monitor can be used on the adapter.



Specification

- Connectors:
 - Input:
 - 1 x USB Type-C™ male
 - Output:
 - 1 x VGA 15 pin female
 - 1 x DVI 24+5 female
 - 1 x HDMI-A 19 pin female
 - 1 x DisplayPort 20 pin female
- Chipset: CH7213, PS8348B, PS176, RTD2166
- DisplayPort 1.2 and High Speed HDMI specification
- DVI-D (Single Link), VGA not wired
- Only 1 monitor usable with the adapter
- Resolution:
 - DisplayPort and HDMI up to 3840 x 2160 @ 60 Hz (depending on the system and the connected hardware)
 - DVI up to 1920 x 1200 @ 60 Hz (depending on the system and the connected hardware)
 - VGA up to 1920 x 1080 @ 60 Hz (depending on the system and the connected hardware)
- Power consumption: max. 1 W
- Cable length without connectors: ca. 10 cm
- Colour: black

System requirements

- Android 6.0 or above
- Chrome OS
- Linux Kernel 4.15.3 or above
- Mac OS 10.13.3 or above
- Windows 7/7-64/8.1/8.1-64/10/10-64
- Windows 10 Mobile
- PC or laptop with a free USB Type-C™ port and DisplayPort alternate mode or
- PC or laptop with a free Thunderbolt™ 3 port

Package content

- Adapter USB-C™ to VGA / HDMI / DVI / DisplayPort

Item no. 63959

EAN: 4043619639595

Country of origin: China

Package: Retail Box



Images



General

| | |
|-----------------------------|---|
| Supported operating system: | Android 6.0 or above Chrome OS Mac OS 10.9 or above Windows 7 32-bit Windows 7 64-bit Windows 8.1 32-bit Windows 8.1 64-bit Windows 10 32-bit Windows 10 64-bit Windows 10 Mobile Linux Kernel 4.6 or above |
|-----------------------------|---|

Interface

| | |
|---------|---|
| Output: | 1 x DVI-I 24+5 female 1 x DisplayPort 20 pin female 1 x HDMI-A 19 pin female 1 x VGA 15 pin female |
| Input: | 1 x USB Type-C™ male |

Technical characteristics

| | |
|----------------------------|---|
| Maximum screen resolution: | 3840 x 2160 @ 60 Hz 1920 x 1200 @ 60 Hz 1920 x 1080 @ 60 Hz |
|----------------------------|---|

Physical characteristics

| | |
|---------|-------|
| Colour: | black |
|---------|-------|