

Delock Condenser Table Microphone omnidirectional for conference with 3.5 mm stereo jack male 3 pin

Description

This table microphone by Delock is suitable for use in conferences. The omnidirectional and cone-shaped directivity ensures that the sound is optimally captured and therefore has a high range and is ideal for recording interviews, conferences, lectures, etc. It can be connected to any PC or laptop via the 3 pin stereo jack connector. The 4 pin Y-adapter included in the delivery also allows connection to a tablet or smartphone.



Item no. 65873

EAN: 4043619658732

Country of origin: China

Package: Retail Box

Specification

- Connector: 1 x 3.5 mm 3 pin stereo jack male
- Y-Adapter:
 - 1 x 3.5 mm 4 pin stereo jack male (CTIA standard) >
 - 1 x 3.5 mm 3 pin stereo jack female microphone
 - 1 x 3.5 mm 3 pin stereo jack female headset
- Directivity: omnidirectional
- Impedance: 2.2 kOhm
- Sensitivity: -32 dB +/- 3 dB
- Frequency range: 100 Hz - 10 kHz
- Dimensions (Ø x H): ca. 60 x 15 mm
- Weight: ca. 65.5 g
- Cable length: ca. 2.5 m

System requirements

- A free stereo port 3.5 mm


Package content

- Microphone
- Y-Adapter

Images



ca. 2,5 m



Interface

| | |
|--------------|---|
| connector: | 1 x 3.5 mm 3 pin stereo jack male |
| Connector 1: | 1 x 3.5 mm 4 pin stereo jack male (CTIA standard) |
| Connector 2: | 1 x 3.5 mm 3 pin stereo jack female microphone |
| connector 3: | 1 x 3.5 mm 3 pin stereo jack female headset |

Technical characteristics

| | |
|------------------|-----------------|
| Frequency range: | 100 Hz - 10 kHz |
| Impedance: | 2.2 kOhm |
| Sensibility: | -32 dB +/- 3 dB |
| Directivity: | omnidirectional |

Physical characteristics

| | |
|---------------|------------|
| Weight: | ca. 65.5 g |
| Cable length: | 2.5 m |
| Diameter: | 60 mm |
| Height: | 15 mm |