

# Delock USB 2.0 la 4 x adaptoare seriale

## Descriere scurta

Adaptorul USB 2.0 de la Delock vă permite să conectați 4 dispozitive seriale la un port USB liber al calculatorului sau al laptopului.



**Nr. 87414**

EAN: 4043619874149

Țara de origine: China

Pachet: Retail Box

## Specification

- Conectori:  
1 x USB 2.0 Tip-B mamă >  
4 x RS-232 seriale DB9 tată
- Chipset: ASIX
- Conector serial cu piulițe
- Rată de transfer a datelor de până la 921,6 Kbps
- Indicator cu LED
- Selectarea automată a adresei IRQ și a adresei I/O
- Partu UART-uri compatibile cu 16C450 / 16C550
- Acceptă FIFO 512 octeți pe port (transmisie/recepție)


## Cerinte de sistem

- Windows Server 2003
- Windows 2000/XP/Vista/Vista-64/7/7-64/8.1/8.1-64/10/10-64/11
- PC sau laptop cu un port USB Tip-A liber

## Pachetul contine

- USB 2.0 la 4 x seriale adaptoare
- Cablu USB 2.0
- CD cu drivere
- Manual de utilizare

## Imagini



## General

|                             |                                                                                                                                          |
|-----------------------------|------------------------------------------------------------------------------------------------------------------------------------------|
| Function:                   | Plug & Play                                                                                                                              |
| Specification:              | RS-232 (EIA / TIA)<br>USB 1.1<br>USB 2.0                                                                                                 |
| Supported operating system: | Windows 10 32-bit<br>Windows 10 64-bit<br>Windows 7 32-Bit<br>Windows 7 64-Bit<br>Windows 8.1 32-Bit<br>Windows 8.1 64-Bit<br>Windows 11 |
| Indicator cu LED:           | Power                                                                                                                                    |

## Interface

|             |                              |
|-------------|------------------------------|
| Conector 1: | 1 x USB 2.0 Type-B           |
| Conector 2: | 1 x RS-232 seriale DB9, tată |

## Technical characteristics

|                      |                             |
|----------------------|-----------------------------|
| Chipset:             | ASIX/Moschip MCS 7840       |
| Data transfer rate:  | 4 x up to 921,6 Kbps        |
| FIFO:                | 512 byte                    |
| Data transmission:   | asynchronous<br>full duplex |
| Current consumption: | 50 mA                       |
| UART:                | USB to serial UART          |

## Physical characteristics

|                   |                    |
|-------------------|--------------------|
| Carcasa uoare:    | argintiu           |
| Material carcasă: | Plastic            |
| Cable type:       | USB AWM Style 2725 |

|                               |                                       |
|-------------------------------|---------------------------------------|
| Cable colour:                 | negru                                 |
| Cable length incl. connector: | 1 m                                   |
| Pin finishing:                | placat cu aur                         |
| Conductor gauge:              | 28 AWG data line<br>24 AWG power line |
| Tipul șurubului:              | #4-40 UNC                             |
| Lungime:                      | 95 mm                                 |
| Width:                        | 60 mm                                 |
| Height:                       | 20 mm                                 |