

# Delock Thunderbolt™ 3 Docking Station 5K - HDMI / USB 3.0 / USB-C™ / SD / LAN

## Description

This Thunderbolt™ 3 docking station by Delock can be connected to a computer with a Thunderbolt™ 3 port and provides a variety of interfaces. The Thunderbolt™ 3 port supports a resolution up to 5K and is compliant to USB, therefore it is possible to connect all USB Type-C™ devices. Two 4K monitors can be operated simultaneously at the Thunderbolt™ 3 and HDMI outputs. Five built-in USB Type-A ports allow the use of peripherals. Connections for a headset and gigabit network, as well as an SD card reader, complete the features. A connected laptop such as the Macbook or Chromebook will be charged during operation.

## Note

Only one additional external monitor can be connected to MacBook devices with M1 chipset.



**Item no. 87725**

EAN: 4043619877256

Country of origin: China

Package: Retail Box

## Specification

- Connectors:
  - front side:
    - 1 x USB 3.0 Type-A female
    - 1 x USB 3.0 Type-A female - Battery Charging specification BC1.2
    - 1 x SD / SDHC / SDXC slot
    - 1 x Headset 3.5 mm 4 pin jack
  - back side:
    - 1 x Thunderbolt™ 3 female (connection to computer)
    - 1 x Thunderbolt™ 3 female
    - 1 x HDMI-A 19 pin female
    - 3 x USB 3.0 Type-A female
    - 1 x Gigabit LAN 10/100/1000 Mbps RJ45 jack
    - 1 x DC jack
- Video outputs supports: extended and mirror
- Resolution up to:
  - Windows:

1 x 5120 x 2880 @ 60 Hz (depending on the system and the connected hardware)

2 x 3840 x 2160 @ 60 Hz (depending on the system and the connected hardware)

Mac:

2 x 3840 x 2160 @ 30 Hz (depending on the system and the connected hardware)

- Transmission of audio and video signals
- Output power for host: max. 60 W
- Metal housing
- Rubber pads for safe grip and secure stand
- Colour: silver
- Dimensions (LxWxH): ca. 230 x 87 x 27 mm

---

## Power supply specification

- Wall power supply
- Input: AC 100 ~ 240 V / 50 ~ 60 Hz / 1.8 A
- Output: 20 V / 6.75 A
- Ground outside, plus inside
- Dimensions:
  - inside: ø ca. 2.5 mm
  - outside: ø ca. 5.5 mm
  - length: ca. 10 mm

---

## System requirements

- Windows 8.1/8.1-64/10/10-64, Mac ex OS 10.12
- PC or laptop with a free Thunderbolt™ 3 port

---

## Package content

- Thunderbolt™ 3 docking station
- Thunderbolt™ 3 cable, length ca. 50 cm
- Power supply
- User manual

## Images



## General

Function:	Battery Charging BC1.2
Supported operating system:	Mac OS 10.12 or above Windows 10 32-Bit Windows 10 64-Bit Windows 8.1 32-Bit Windows 8.1 64-Bit
Supported memory card:	SD SDHC SDXC

## Interface

Output:	1 x 3.5 mm 4 pin stereo jack female 1 x RJ45 jack 1 x HDMI-A female 1 x SD slot 1 x USB 5 Gbps Type-A female - Battery Charging specification BC1.2 4 x USB 5 Gbps Type-A female 1 x DC jack 1 x Thunderbolt™ 3 female
Input:	1 x Thunderbolt™ 3 USB Type-C™ 24 pin male

## Technical characteristics

Maximum screen resolution:	5120 x 2880 @ 60 Hz
Signal transmission:	video audio

## Physical characteristics

Housing material:	metal
Length:	230 mm
Width:	87 mm
Height:	27 mm
Colour:	silver

## Power supply

Type:	Euro wall power supply
Input:	AC 100 ~ 240 V / 50 ~ 60 Hz / 1.8 A
Output:	20 V / 6.75 A
Connector:	DC plug 5.5 mm x 2.5 mm