

Delock USB Type-C™ Adapter zu HDMI (DP Alt Mode) 4K 60 Hz mit HDR Funktion

Description

This Delock adapter is suitable for the connection of an HDMI monitor to a computer with USB-C™ interface and DisplayPort alternate mode support. Thus, the adapter can be connected to different laptops like MacBook, Chromebook and similar. In addition, the adapter can also be operated on a Thunderbolt™ 3 interface. By the support of the HDR (High Dynamic Range) function, the screen can be displayed sharper, clearer and more vivid.



Item no. 63937

EAN: 4043619639373

Country of origin: China

Package: Retail Box

Specification

- Connectors:
 - 1 x USB Type-C™ male >
 - 1 x HDMI-A 19 pin female
- Chipset: VIA VL100, Megachips MCDP2900
- DisplayPort 1.4 and High Speed HDMI with Ethernet (HEC) specification
- Resolution up to 3840 x 2160 @ 60 Hz
(depending on the system and the connected hardware)
- Supports HDR / HDR10 (depending on the system and the connected hardware)
- Supports HDCP 1.4 and 2.2
- Supports 3D displays (1080p @ 120 Hz)
- 1 x ferrite core
- Power consumption: ca. 1.5 W
- USB bus powered
- Cable length without connectors: ca. 10 cm
- Colour: white

System requirements

- PC or laptop with a free USB Type-C™ port and DisplayPort alternate mode or
- PC or laptop with a free Thunderbolt™ 3 port

Package content

- Adapter USB-C™ to HDMI with HDR function

Images



General

Function:	HDR / HDR10
-----------	-------------

Interface

Connector 1:	1 x USB 2.0 Type-C™ male
Connector 2:	1 x HDMI-A female

Technical characteristics

Chipset:	VIA VL100 MegaChips MCDP2900
Maximum screen resolution:	3840 x 2160 @ 60 Hz

Physical characteristics

Ferrite core:	1 x
Cable length:	10 cm
Colour:	white